



OBI GUARD

VESSEL SPECIFICATION SHEET

ISSUED JUNE 2026

OBI GUARD . IS

STANDBY GUARD VESSEL

Delta

● ON CONTRACT

GK 3036 · IMO 7359151 · TFKD · Flag Iceland



44.4m

LOA

384gt

GROSS TONNAGE

12.5kn

MAX SPEED

2x

GUARD RADAR

5

MIN CREW

1974

BUILT · ICE III

Built at Ørskov in 1974 and classed Ice III, Delta runs standby guard duties across the North Sea. Precise station-keeping, twin fire monitors and a crew of five.

TECHNICAL SPECIFICATION

01

Dimensions & tonnage

Length overall	44.38 m
Length b.p.	38.63 m
Breadth, moulded	8.20 m
Draught	4.20 m
Gross / net tonnage	384 / 115
Deadweight	150 t
Max speed	12.5 kn

02

Propulsion & power

Main engine	B&W Alpha 409-26 VO · 900 HP
Propeller	CP Alpha 1800 V.A.
Aux engines	1× Scania 272 HP · 2× Mercedes 140 HP
Generators	1× 230 kVA · 2× 81 kVA
Thrusters	Azimuth 340 HP · stern 150 HP
Fuel use	9 kn ≈ 2,400 L · standby ≈ 500 L/day

03

Navigation

- › 2× GPS (bridge + portable)
- › 2× daylight radar · auto-plotting · guard alarm & VRM
- › Autopilot, primary & secondary
- › Gyro & magnetic compass
- › AIS-SART transponder
- › Watch alarm · VHF direction finder

04

Communications

- › GMDSS A2
- › 2× SSB transmitter
- › 3× VHF + 3× GMDSS portable VHF
- › Standard C satellite telex
- › Starlink high-speed internet

05

Deck equipment

Crane	HMF hydraulic 7 t/m · SWL 6,200 kg @ 3 m
Search lights	1× 5,000 W remote · 2× 1,000 W
Fire fighting	75 m ³ /h monitor (30 m) + 50 m ³ /h
Helicopter zone	Forecastle winch zone, RDAF approved

06

Accommodation

Cabins	4× single · 4× double · 16× shared berths
Common areas	2× mess · 2× day room · sport room
Multi-use halls	2× fittable for task / seating
Medical	Apotek, hospital-capable
Cold storage	4× deep-freeze chests

07

Cargo & tanks

Fuel	84 m ³
Fresh water	30 m ³
Dispersant tank	0.4 m ³
Water maker	5 m ³ / day

08

Emergency & safety

MOB boats	2
Liferafts	2× 12 person
Immersion suits	11
Lifejackets / buoys	13 / 8
AIS-SART · VHF	1 · 2